




Title: OSL323-RC80A0-UDB2L0-3.0

Mark	Revised Contents	Signature
△		



Do Not Scale Drawing


GENERAL Touch		GeneralTouch Co., Ltd.					
Specification		External Dimensions	759.2*453.7*68.5		Anti-Glare	☒ Y ☐ N	Designer: Duan Wenbin
Unit	Date	View Area	699.2*393.7		DustProof	☐ Y ☒ N	
mm	2026/02/12	Glass Thickness	6 mm				
Projection: 		Silk Print Color	Black				Checked By: Wang Zhenghua
		Mounting	VESA ☒ Bracket ☒				
Sheet 1 of 3		Notes					Approved By: Zhou Bolin
VER: 1.2	Scale: 1:1	Touch Technology	P-CAP	☒	SAW		
Tolerance: ±1.5mm			IR/PIT		Resistive		
		Non-Touch					

CUSTOMER RECOMMENDED MOUNTING GEOMETRY-1


Title: OSL323-RC80A0-UDB2L0-3.0

Mark	Revised Contents	Signature
△		

FRONT VIEW



Do Not Scale Drawing

GENERAL Touch		GeneralTouch Co., Ltd.					
Specification		External Dimensions	759.2*453.7*68.5		Anti-Glare	☒ Y ☐ N	Designer: Duan Wenbin
Unit	Date	View Area	699.2*393.7		DustProof	☐ Y ☒ N	
mm	2026/02/12	Glass Thickness	6 mm				
Projection: 		Silk Print Color	Black				Checked By: Wang Zhenghua
		Mounting	VESA ☒ Bracket ☒				
Sheet 2 of 3		Notes					Approved By: Zhou Bolin
VER: 1.2	Scale: 1:1	Touch Technology	P-CAP		☒	SAW	
			IR/PIT			Resistive	
Tolerance: ±1.5mm			Non-Touch				


CUSTOMER RECOMMENDED MOUNTING GEOMETRY-1

Title: OSL323-RC80A0-UDB2L0-3.0


Mark	Revised Contents	Signature
⚠		

INSTALLATION NOTES:

- 1.THE OPENING SIZE OF THE CLIENT CABINET DOOR PANEL IS RECOMMENDED TO BE LAGER THAN THE SUGGESTED SIZE (SEE SHEET 5 FOR THE SUGGESTED SIZE) .
- 2. ATTACH FLUSH MOUNTING BRACKETS ON ALL FOUR SIDES OF DISPLAY WITH HEX HEAD M4x8(MAX) BRACKET SCREWS TO SECURE THE DISPLAY TO THE ENCLOSURE PANEL.AJUST THE DISPLAY AS CLOSE AS POSSIBLE TO FLUSH WITH THE FRONT OF THE ENCLSOURE PANEL BEFORE TIGHTENING M4 BRACKET SCREWS. A SOCKET WRENCH IS RECOMMENDED IF CLEARANCE IS LIMITED.
- 3.APPLY A FULL CIRCLE OF LIQUIDE SILICONE ALONG THE EDGE WHERE THE DISPLAY CONTACTS THE DOOR PANEL.



Do Not Scale Drawing

GENERAL Touch		GeneralTouch Co., Ltd.						
Specification		External Dimensions	759.2*453.7*68.5		Anti-Glare	☒ Y	☐ N	Designer: Duan Wenbin
Unit	Date	View Area	699.2*393.7		DustProof	☐ Y	☒ N	
mm	2026/02/12	Glass Thickness	6 mm					
Projection:		Silk Print Color	Black					Checked By: Wang Zhenghua
		Mounting	VESA ☒		Bracket ☒			
Sheet 3 of 3		Notes						Approved By: Zhou Bolin
VER: 1.2	Scale: 1:1	Touch Technology	P-CAP	☒	SAW			
Tolerance: ±1.5mm			IR/PIT		Resistive			
			Non-Touch					